

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
14 August 2003 (14.08.2003)

PCT

(10) International Publication Number
WO 03/066580 A1

- (51) International Patent Classification⁷: C07C 269/04, 21/08
- (21) International Application Number: PCT/EP03/00942
- (22) International Filing Date: 30 January 2003 (30.01.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
02002802.3 7 February 2002 (07.02.2002) EP
- (71) Applicant (*for all designated States except US*): UCB, S.A. [BE/BE]; Allée de la Recherche, 60, B-1070 Bruxelles (BE).
- (72) Inventor; and
- (75) Inventor/Applicant (*for US only*): VAN HOLEN, Jorgen [BE/BE]; Arthur Verhaegenstraat, 46, B-9000 Gent (BE).
- (74) Agents: DESTRYKER, Elise et al.; UCB, S.A., Intellectual Property Department, Allée de la Recherche, 60, B-1070 Bruxelles (BE).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: PROCESS USING A CYCLIC CARBONATE REACTANT

(57) Abstract: The present invention relates to a process wherein a cyclic carbonate compound is reacted with a compound containing a nucleophilic group, especially an amine group, in the presence of a catalyst comprising a lithium compound. Such reactions permit to obtain urethane groups useful in polymer preparation, such as polyurethanes, or other urethane-containing polymers.